# OFFICE COPY

WHOLESALE PRICE-LIST



Rhododendrons Azaleas · Kalmias Andromedas · Lilies · Cypripediums Ferns · Sarracenias and Trees Shrubs and Herbaceous Plants

HARLAN P. KELSEY

6 Beacon Street BOSTON, MASS.

Grown in the Carolina Mountains at

## Highlands Nursery

100 Acres at 3,800 feet elevation

KAWANA, SAGINAW, N. C. SALEM BRANCH, SALEM, MASS.

Gift of

J. Horace McFarland Co.



### TERMS, ETC.

**Terms** are cash or satisfactory reference from unknown parties. Accounts due first of each month, unless by special arrangement.

Shipments usually direct from Highlands Nursery, from Pineola, N. C., freight station. Present freight rate to New York, Boston and Philadelphia points, 96½ cents per 100 pounds. Special express rates connecting with Norfolk steamers. Rates from our Rhododendron fields in Pennsylvania and from Nursery in Salem, Mass., on request.

Packing charged at cost only; our export shipments reach the most remote countries in perfect condition.

Send foreign remittances by Postal Money Order, drawn on Boston, Mass., postoffice, or by New York or Boston Exchange. An American dollar equals 4 shillings, 4 marks or 5 francs.

Claims must be made on receipt of goods. All shipments travel at consignee's risk.

Shipping begins in August, when we send out large Rhododendrons, Kalmias and other Evergreens, and Bulbs and Herbaceous Plants; general stock going out in October and November, and in spring, from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

A Certificate of Inspection is sent out with every shipment.

Strictly hardy stock only is offered in this catalog, unless specially noted.

We publish a beautifully illustrated descriptive catalog.

We make low prices on any list of nursery stock desired, and are glad to estimate.

#### HARLAN P. KELSEY, Prop.

Beacon Building

Cable Address KELMONT-BOSTON

BOSTON, MASS.

ALWAYS ADDRESS BOSTON OFFICE

May 1957

Harrisburg, reinia.

The Only Large Stock Ever Offered of the True

#### Rhododendron catawbiense

#### CAROLINA RHODODENDRON

Do not confuse this with the common so-called "catawbiense seedlings" imported from Europe, which is in reality a half-hardy, poor-flowered hybrid with little catawbiense blood in it. The true species grows only in the highest Southern Allegheny mountains, and is the finest of all Rhododendrons, considering its extreme hardiness, color of flower, and remarkable texture of foliage, which is a deep shiny green, far superior to that of the better known Rhododendron maximum.

For massing and producing a broad-leaved evergreen effect, there is no plant equal to it in the latitude of the northern United States, where strictly hardy plants must necessarily be used. Unlike R. maximum, it is a free bloomer, the large trusses being a bright red-purple color, in marked contrast to the muddy purple of the common half-hardy bybrid noted above. All plants offered below are heavy clumps. Packing is done in boxes, or the larger sizes in crates, and is charged at cost. These clumps often have 30 to 50 stems, and are bushy to the ground. We offer both collected and transplanted clumps.

We have magnificent fields for collecting this grand Rhododendron, with reasonable freight rates. Parks, cemeteries and nurserymen should write us for special prices in car lots.

#### PRICES OF RHODODENDRON CATAWBIENSE

Nearly all clumps over I foot are heavily budded

Prices of Rhododendron and Kalmia clumps at Salem Branch will be 25 per cent above these rates

#### NURSERY-GROWN

Bushy plants with balls and extra furnished, diameter of clumps corres-

Louding printers with burns and		1		
	ponding to here	Per 10	100	1,000
3 to 6 inches		\$0 60	\$4 50	\$30 00
6 to 9 inches		1 00	8 00	70 00
9 to 12 inches		1 50	12 00	100 00
Clumps, 6 to 9 inches		2 00	18 00	
Clumps, 9 to 12 inches		3 50	25 00	
Clumps, I to 11/2 feet		5 00	40 00	
Clumps, 11/2 to 2 feet			90 00	
Clumps. 2 to 3 feet		20 00	150 00	
Clumps, 3 to 4 feet		35 00	300 00	

Some extra clumps, 3 to 5 feet high, at \$4 to \$15 each. These prices are for stock growing at nursery in North Carolina.

#### COLLECTED

All bushy clumps with fine balls, diameter corresponding to height

	Per 10	100	1,000
1 to 1½ feet		\$25 00	\$210 00
1½ to 2 feet	. 6 00	50 00	420 00
2 to 2½ feet		70 00	600 00
2½ to 3 feet	.15 00	120 00	950 00
3 to 4 feet	.25 00	225 00	1,800 00
4 to 5 feet	.40 00	350 00	

We offer some large clumps with fine bushy tops, thin-foliaged at bottom, for use in center of large masses, 3 to 6 feet high, at 75 cts. to \$10 each, both nursery-grown and collected.

Do not compare the many-stemmed clumps offered above with the single-stemmed "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.



#### Rhododendron maximum

THE GREAT AMERICAN ROSE BAY

#### and Kalmia latifolia

THE MOUNTAIN LAUREL

#### PERFECTLY HARDY IN THE LATITUDE OF QUEBEC

The use of large native Rhododendron maximum and Kalmia latifolia for producing immediate, finished, broad-leaved, evergreen effects is so well established as to scarcely need comment. There is no other possible way to obtain the results to be had by the use of these magnificent hardy evergreens. We sell both collected and nursery-grown clumps in any quantity. Our facilities and long experience are approached by none, and the quality of stock we handle cannot be duplicated. We have over 100,000 Rhododendrons and Kalmias growing in our Nurseries, fine bushy plants with balls.

Our nursery-grown stock is at Highlands Nursery, in N. C., and Salem, Salem Branch, while we collect car-load lots from special sources in the Pennsylvania and Carolina Mountains. Prices per car-load of Rhododendron maximum vary with size and grade.

Freight rate from our Pennsylvania fields to Boston, New York, Philadelphia, Buffalo and similar points is from \$20.00 to \$40.00 per car. Number of plants to the car varies from forty or fifty to several hundred, according to size and grade.

It is always best to have us make a special estimate where large quantities are desired, and it is cheaper and more satisfactory to buy by the plant, and have cars packed to the utmost limit.

#### PRICES BY THE PLANT

#### RHODODENDRON MAXIMUM

All are bushy and with balls, and the larger clumps usually budded and all well furnished, diameter corresponding well to height.

	NURSERY-GROWN	Per 10	100	1.000
3 to 6 in		\$0 40	\$2 50 8	818 00
6 to 12 in		75	5 00	40 00
1 to 11/2 ft	**************	1 75	12 50 1	100 00
			20 00 1	180 00
			20 00	
			30 00	
			60 00	
			115 00	
			250 00	
	3 to 6 ft at \$3 50 to \$10 00 ee		noce price	00 000

Some extra clumps, 3 to 6 ft., at \$3.50 to \$10.00 each. These prices are for stock growing at Nursery in North Carolina. Prices for stock growing in Nursery at Salem, Mass., 25 per cent above these prices.

#### COLLECTED CLUMPS

	Per 10	100	1,000
1 to 1½ ft	\$2 75	\$20 00	\$160 00
1½ to 2 ft	4 00	35 00	300 00
2 to 3 ft		70 00	500 00
3 to 4 ft		140 00	1,000 00
4 to 5 ft	30 00	200 00	1,600 00
5 to 6 ft	50 00	400 00	

Some magnificent clumps, 4 to 6 feet, perfect specimens, from \$6.00 to \$15 each. If you want something extra, we have it.

#### RHODODENDRON PUNCTATUM

The smallest Alleghanian species, and very rare. A graceful shrub, with rose blossoms borne in greatest profusion in June. Beautiful for rocky slopes and cliffs, as it stands exposure unusually well. One of the finest specimens ever introduced.

		Per 10	100
3 to 6 in		\$0 60	\$5 00
6 to 9 in		1 25	10 00
9 to 12 in	> Nursery-grown only -	2 00	18 00
Clumps, 9 to 12 in		4 00	30 00
Clumps, 1 to 1½ ft		8 00	

#### KALMIA LATIFOLIA

All are well furnished and bushy and lift with fine balls, the larger clumps usually budded. Diameter corresponds well to height.

	NURSERY-GROWN	Per 10	100	1,000
3 to 6 in		.\$0 40	\$2 50	\$18 00
6 to 9 in		. 75	5 00	35 00
9 to 12 in		. 1 75	8 00	55 00
			12 50	100 00
1½ to 2 ft		. 3 00	20 00	180 00
Clumps, 9 to 12 in		. 3 00	20 00	
Clumps, 1 to 11/2 ft		. 4 50	40 00	
Clumps, 1% to 2 ft		. 8 00	75 00	
			150 00	
	COLLECTED CLUMPS		200	
		T OF TO		1,000
1 to 1½ ft		\$2 75	\$20 00	\$160 00
1½ to 2 ft		. 4 00	35 00	300 00
2 to 21/2 ft		. 8 00	60 00	450 00
2½ to 3 ft		.12 00	85 00	600 00
Larger clumps, fine s	specimens, can be supplied a	t \$2.00	to \$8.00	each.

#### HARDY AMERICAN DECIDUOUS TREES

THE TANKE THE PLOT OF	-	TYCE	200
Per	10	100	1,000
Acer negundo. 1 to 2 ft\$0		\$3 00	-,
2 to 4 ft	75	5 00	
pennsylvanicum. 1 to 2 ft	75	5 00	
2 to 3 ft 1	00	8 00	
3 to 4 ft	50	12 00	
rubrum. 2 to 3 ft, 1	00	6 00	
	50	10 00	
			+
saccharum. 1 to 2 ft	40	3 00	\$20 00
2 to 3 ft	60	4 50	35 00
	00	7 00	
spicatum. 6 to 12 in., S	25	1 50	12 00
6 to 12 in	35	3 00	25 00
1 to 2 ft	75	5 00	40 00
2 to 3 ft	00	8 00	
AEsculus octandra. 1 to 2 ft	50	4 00	
Amelanchier botryapium. 1 to 2 ft	75	6 00	50 00
2 to 3 ft	00	8 60	70 00
			10 00
	50	12 00	
Betula lenta. 2 to 4 ft	60	5 00	
8 to 12 ft 2	00	15 00	
lutea. 2 to 4 ft	60	5 00	40 00
4 to 6 ft	00	8 00	70 00
nigra. 2 to 4 ft	25	6 00	50 00
4 to 6 ft	75	12 00	
6 to 8 ft 2	00	17 50	
papyrifera. 3 to 4 ft	50	12 00	
	00		
		4 =0	
populifolia. 6 to 12 in	60	4 50	
1 to 2 ft	25	9 00	
Carpinus caroliniana. 6 to 12 in., S	40	3 00	20 00
1 to 2 ft	75	5 00	40 00
	25	8 00	60 00
	75	12 00	110 00
			110 00
	50	20 00	
Carya amara. 6 to 12 in	25		
Castanea dentata. 1 to 2 ft., S	75	4 00	30 00
	00	6 00	50 00
	00	0 00	
		0.00	75 00
	25	9 00	75 00
Catalpa speciosa. 2 to 3 ft	75	3 00	
3 to 4 ft	00	6 00	
Cercis canadensis. 2 to 3 ft	75		
Cladrastis lutes 2 to 4 ft	50		
Cladrastis lutea. 2 to 4 ft	40	2 00	
	00	7 00	
3 to 4 ft 1	75	14 00	
4 to 5 ft	00	16 00	
florida 6 to 12 in	75	5 00	
	50	12 00	
Diagnarag vivoluiana 1 to 9 ft	75	5 00	
Diospyros virginiana. 1 to 2 ft			
Fagus americana. 1 to 2 ft	75	6 00	
2 to 3 ft 1	50		
	40	3 00	
	60	5 00	
lanceolata. 6 to 12 in., S	50	3 00	20 00
1 to 2 ft	75	4 00	30 00
2 to 3 ft	00	6 00	50 00



HARDY AMERICAN DECIDUOUS TREES.	continue	d
Per 10	100	1,000
Fraxinus nigra.         4 to 6 ft.         \$1 50           oregona.         1 to 2 ft.         1 00           quadrangulata.         6 to 12 in.         1 00	\$7 00	
Gymnocladus dioica. 6 to 12 in	5 00	
Ilex monticola. 6 to 12 in 50	3 00	
4 to 6 ft 2 00	15 00	
Juglans cinera.       3 to 4 ft	5 00	
Larix laricina. 1 to 2 ft	6 00	
2 to 3 ft	9 00	
Liquidambar styraciflua, 1 to 2 ft	4 00	
2 to 3 ft	9 00	
Liriodendron tulipifera. 4 to 6 ft 1 00		
Magnolia acuminata. 6 to 12 in	4 50	
fraseri.     6 to 12 in.     75       1 to 2 ft.     1 25       tripetala.     1 to 2 ft.     1 00	5 00	
tripetala. 1 to 2 ft	7 00	
2 to 3 ft 1 50	12 00	
3 to 4 ft	15 00	
Malus coronaria. 6 to 12 in., S	12 00	
1 to 2 ft	18 00	
2 to 3 ft 3 00		
Mohrodendron diptera. 2 to 3 ft 2 00		
earolinum. 6 to 12 in	8 00 10 00	\$60 00
2 to 3 ft 2 00	17 50	
3 to 4 ft 3 00		
Nyssa multiflora, 6 to 12 in	0.00	
Ostrya virginica. 1 to 2 ft	6 00	
3 to 4 ft	12 00	
Oxydendrum arboreum. 1 to 2 ft 1 00	7 00	50 00
2 to 3 ft	15 00	
3 to 4 ft		
Populus tremuloides.         4 to 6 ft	2 00	8 00
serotina. 4 to 6 ft	8 00	0 00
Ptelea trifoliata. 1 to 2 ft	5 00	40 00
2 to 3 ft	7 00	50 00
3 to 4 ft 1 25	9 00	65 00
Quercus alba. 6 to 12 in., S 50	3 00	20 00
coccinea. 6 to 12 iu	5 00 7 00	,30 00 60 00
2 to 4 ft 1 75	15 00	135 00
2 to 4 ft. 1 75 4 to 6 ft. 2 50 laurifolia. 6 to 12 in. 1 50	10.00	
laurifolia, 6 to 12 in	12 00 9 00	
3 to 4 ft 2 00		
palustris. 2 to 3 ft	15 00 20 00	
	20 00	
prinus. 1 to 2 ft., S 1 00	7 00	
2 to 3 ft	6 00	
rubra. 1 to 2 ft	12 00	100 00
4 to 6 ft 2 00	17 50	
Rhamnus caroliniana. 1 to 2 ft	4 00	
Rhus cotinoides. 1 to 2 ft 8 00		
2 to 3 ft		
4 to 6 ft		
Robinia pseudacacia. 6 to 12 in 40	2 50	
2 to 4 ft 75	5 00	
Sorbus americana. 6 to 12 in	5 00	
1 to 2 ft	9 00 15 00	
4 to 6 ft 3 00	1	
Taxodium distichum. 2 to 3 ft 2 50		
Tilia americana. 1 to 2 ft	11290	
heterophylla. 6 to 12 in	5 00	
1 to 2 ft		
Salix alba, 12 to 18 in	4 50	

#### HARDY AMERICAN EVERGREEN TREES

Per 10	100	1,000
Abies balsamea. 6 to 12 in\$1 00	\$7 00	21000
concolor. 6 to 12 in 2 00	15 00	
fraseri. 6 to 12 in	4 50	\$35 00
1 to 2 ft 75	5 00	
2 to 3 ft	12 00	
3 to 4 ft 3 50		
Chamaecyparis sphæroidea. 1 to 2 ft 2 00		
Ilex opaca. 6 to 12 in	12 00	100 00
12 to 18 in 2 00	15 00	
18 to 24 in 3 50		
Juniperus communis. 1 to 2 ft 1 00	7 00	
2 to 3 ft 1 75		
virginiana. 1 to 2 ft	7 00	
Magnolia glauca. 1 to 2 ft	17 50	
glauca thompsoniana. 6 to 12 in 1 00	7 00	
12 to 18 in 2 00	17 50	
Picea canadensis. 6 to 12 in 1 00	7 00	50 00
12 to 18 in 1 50		
mariana. 6 to 12 in 40	3 00	
1 to 2 ft	5 00	
2 to 3 ft	9 00	
3 to 4 ft		
4 to 5 ft	E0 00	
pungens. 1 to 2 ft	50 00	
Pinus contorta. 1 to 2 ft	5 00	
2 to 3 ft	7 00	100.00
3 to 4 ft	12 00	100 00
pungens. 1 to 2 ft		
2 to 3 ft		
resinosa. 12 to 18 in		
strobus. 6 to 12 in 75	5 00	35 00
1 to 2 ft	10 00	80 00
2 to 3 ft 2 00	15 00	125 00
3 to 4 ft	30 00	
4 to 5 ft 6 00		
tæda. 6 to 12 in		
ponderosa. 2 to 3 ft 3 00		
Pseudotsuga taxifolia. 6 to 12 in 1 00	7 00	60 00
Thuja occidentalis. 1 to 2 ft 50	4 00	30 00
2 to 3 ft 75	6 00	
3 to 4 ft	12 00	
4 to 5 ft 2 50	20 00	
Tsuga canadensis. 6 to 12 in 40	3 50	30 00
12 to 18 in	8 00	60 00
18 to 24 in 1 75	16 00	125 00
2 to 3 ft 3 00	25 00	
3 to 4 ft	40 00	
4 to 5 ft	10.00	
caroliniana. 6 to 12 in	12 00 20 00	
18 to 24 in	30 00	
2 to 3 ft	130 00	
3 to 4 ft	200 00	

#### HARDY AMERICAN DECIDUOUS SHRUBS

	Per	10 10	0	1,000
Adelia acuminata. 2 to 3 ft	\$1 0	0 \$8	00	
3 to 4 ft				
Alnus alnobetula. 3 to 4 ft	. 30	0 20	00	
4 to 6 ft	. 4 5	0 30	00	
rugosa. 1 to 2 ft	10	0 7	00	
* 2 to 3 ft., clumps	20	0 17	50	
3 to 4 ft	3 (	00		
Amorpha fruticosa. 1 to 2 ft		0 4	50	
montana. 6 to 12 in., S	. 5	0 3	00	\$20 00
2 to 3 ft		00		
Aralia spinosa. 4 to 6 ft			00	
arbutifolia. 1 to 2 ft	10	0 7	00	
3 to 4 ft	. 2 5	0 20	00	
erythrocarpa. 2 to 3 ft	1 5	0 12	00	
Aronia melanocarpa. 1 to 2 ft	10	10		
nigra. 1 to 2 ft., clumps	7	5 6	00	40 00
2 to 3 ft., elumps			00	
3 to 4 ft., clumps				

Azalea arborescens. 6 to 12 in	HARDY AMERICAN DECIDUOUS SHRUBS,	contin	ued
Azalea arboreseens. 6 to 12 in.   \$150   \$150   6 to 12 in.   clumps.   2 00   17 50   12 to 18 in.   2 00   17 50   \$160 00   12 to 18 in.   2 00   17 50   \$160 00   12 to 18 in.   2 00   17 50   \$160 00   18 to 24 in.   heavy clumps.   6 00   5 00   275 00   18 to 24 in.   heavy clumps.   6 00   5 00   00   2 to 3 ft.   clumps.   6 00   5 00   00   2 to 3 ft.   clumps.   6 00   5 00   00   00   00   00   00			
12 to 18 in		\$12 00	
18 to 24 in, heavy clumps		17 50	6100 00
18 to 24 in, heavy clumps	12 to 18 in., heavy clumps		
2 to 3 ft., clumps	18 to 24 in 3 00		-10
Intea. 6 to 12 in.	18 to 24 in., heavy clumps 6 00	50 00	
Intea. 6 to 12 in.	arborescens rosea. Small plantseach \$3		
12 to 18 in., clumps	lutea. 6 to 12 in		50 00
18 to 24 in., clumps	12 to 18 in 1 50		100 00
2 to 3 ft, clumps.   5 00   40 00	12 to 18 in., clumps		175 00
2 to 3 ft, clumps.   5 00   40 00	18 to 24 in., clumps		110 00
mudiflora, 6 to 12 in.	2 to 3 ft., clumps 5 00	10 00	
18 to 24 in	3 to 4 ft., clumps		70.00
18 to 24 in	12 to 18 in		
12 to 18 in	18 to 24 in 3 00	70.00	****
12 to 18 in	vasey1. 6 to 12 in		
12 to 18 in	18 to 24 in		100 00
Baccharis halimifolia. 1 to 2 ft., strong.   1 25   9 00	VISCOSS 6 to 12 in 1 00	6 00	
Benzoin benzoin   1 to 2 ft	12 to 18 in	9 00	60 00
Benzoin benzoin   1 to 2 ft	Baccharis halimifolia, 1 to 2 ft., strong. 1 25	9 00	
Berberis canadensis. 6 to 12 in.	Benzoin benzoin, 1 to 2 ft	8 00	60 00
1 to 2 ft, clumps	Borboris canadansis 6 to 12 in		
1 to 2 ft, clumps	1 to 2 ft. 75		
1 to 2 ft, clumps	thunbergii. 6 to 12 in		
1 to 2 ft, elumps	1 to 2 ft		
1 to 2 ft.   75   3 00   20 00	1 to 2 ft., clumps		
1 to 2 ft.   75   3 00   20 00	vulgaris. 6 to 12 in		
1 to 2 ft.   75   3 00   20 00	1 to 2 ft 75		
1 to 2 ft.   75   3 00   20 00	Butneria fertilis. 2 to 3 ft., clumps 1 00		15.00
2 to 3 ft., clumps   2 00		3 00	
Ceanothus americanus 6 to 12 in	2 to 3 ft		100 00
Ceanothus americanus 6 to 12 in	Callicarna emericana 6 to 12 in 1 00		
To 2 ft	Ceanothus americanus. 6 to 12 in	10 00	
Chionanthus virginica, 6 to 12 in,   50   2 50   20 00	1 to 2 ft		
1 to 2 ft	Chiamanthus occidentalis. 1 to 2 ft		00.00
2 to 3 ft	1 to 2 ft.		
\$\frac{3}{4} \text{ to 5} \frac{1}{1} \text{ tr. } \qquad \qqquad \qqqqq \qqqqqq	2 to 3 ft 2 00	15 00	
2 to 3 ft	3 to 4 ft 4 00	30 00	
2 to 3 ft	Clethra acuminata 1 to 2 ft 60	4 00	
4 to 6 ft., clumps 2 50 20 00 alnifolia, 1 to 2 ft., clumps 2 00 16 00 7 00 60 00 2 to 3 ft., clumps 2 00 16 00 150 00 3 to 4 ft., clumps 6 00 150 00	2 to 3 ft	7 00	
2 to 3 ft, clumps 2 00 16 00 150 00 Cliftonia ligustrina. 6 to 12 in 2 00 12 to 18 in. 300 Comptonia peregrina 1 to 2 ft 75 4 00 35 00 Cornus alba 1 to 2 ft 80 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 10 10 10 10 10 10 10 10 10 10 10 10 1	3 to 4 ft		
2 to 3 ft, clumps 2 00 16 00 150 00 Cliftonia ligustrina. 6 to 12 in 2 00 12 to 18 in. 300 Comptonia peregrina 1 to 2 ft 75 4 00 35 00 Cornus alba 1 to 2 ft 80 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 1 to 2 ft 10 00 10 00 10 10 10 10 10 10 10 10 10 10 10 10 10 1	alnifolia 1 to 2 ft elumps		60 00
3 to 4 ft., clumps 6 00  Cliftonia ligustrina. 6 to 12 in 2 00  12 to 18 in. 3 00  Comptonia peregrina 1 to 2 ft 75 4 00 35 00  Cornus alba. 1 to 2 ft. 100 7 00  amonum. 6 to 12 in. 5 60 2 00 10 00  1 to 2 ft. 75 4 00  2 to 3 ft. 100 6 00 40 00  1 to 2 ft. 100 6 00 40 00  paniculata. 1 to 2 ft. 150 10 00  stolonifera. 2 to 3 ft. 150 12 00  stolonifera aurea. 3 to 6 in. 60 4 50  Corylus americana. 1 to 2 ft. 125 9 00  Corylus americana. 1 to 2 ft. 125 9 00  Crataegus coccinea. 6 to 12 in. 75 6 00  1 to 2 ft. 100 8 00  Crataegus coccinea. 6 to 12 in. 175 crus. 175 crus. 175 crus. 2 to 3 ft. 1 100 7 00  2 to 3 ft. 1 100 7 00  2 to 3 ft. 1 150 12 00  Stolonifera. 2 to 3 ft. 1 100 6 00 50 00  Crataegus coccinea. 6 to 12 in. 175 crus. 175 crus. 1 100 7 00  2 to 3 ft. 1 100 7 00  2 to 3 ft. 1 150 12 00  Stolonifera. 2 to 3 ft. 1 150 12 00  3 to 4 ft. 1 150 12 00  2 to 3 ft. 1 150 12 00  3 to 4 ft. 1 150 12 00  4 to 5 ft. 1 150 12 00  4	9 to 2 ft alumna 9 00		
2 to 3 ft.   1 00   6 00   40 00     3 to 4 ft.   2 00   12 00     2 to 3 ft.   2 00     2 to 3 ft.   2 00     5 tolonifera. 2 to 3 ft.   1 50   12 00     5 tolonifera aurea. 3 to 6 in.   60   4 50     6 tolonifera aurea. 3 to 6 in.   60   4 50     7 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     9 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 2 tolonifera.   1 25   9 00     10 tolonifera.   1 25   9 00	3 to 4 ft., clumps		
2 to 3 ft.   1 00   6 00   40 00     3 to 4 ft.   2 00   12 00     2 to 3 ft.   2 00     2 to 3 ft.   2 00     5 tolonifera. 2 to 3 ft.   1 50   12 00     5 tolonifera aurea. 3 to 6 in.   60   4 50     6 tolonifera aurea. 3 to 6 in.   60   4 50     7 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     9 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 2 tolonifera.   1 25   9 00     10 tolonifera.   1 25   9 00	12 to 18 in		
2 to 3 ft.   1 00   6 00   40 00     3 to 4 ft.   2 00   12 00     2 to 3 ft.   2 00     2 to 3 ft.   2 00     5 tolonifera. 2 to 3 ft.   1 50   12 00     5 tolonifera aurea. 3 to 6 in.   60   4 50     6 tolonifera aurea. 3 to 6 in.   60   4 50     7 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     9 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 2 tolonifera.   1 25   9 00     10 tolonifera.   1 25   9 00	Comptonia peregrina. 1 to 2 ft		35 00
2 to 3 ft.   1 00   6 00   40 00     3 to 4 ft.   2 00   12 00     2 to 3 ft.   2 00     2 to 3 ft.   2 00     5 tolonifera. 2 to 3 ft.   1 50   12 00     5 tolonifera aurea. 3 to 6 in.   60   4 50     6 tolonifera aurea. 3 to 6 in.   60   4 50     7 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     9 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera aurea. 3 to 6 in.   60   4 50     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 1 tolonifera.   1 25   9 00     10 tolonifera. 2 tolonifera.   1 25   9 00     10 tolonifera.   1 25   9 00	Cornus alba. 1 to 2 ft		
2 to 3 ft.   1 00   6 00   40 00     3 to 4 ft.   2 00   12 00     2 to 3 ft.   2 00     2 to 3 ft.   2 00     5 tolonifera. 2 to 3 ft.   1 50   12 00     5 tolonifera aurea. 3 to 6 in.   60   4 50     6 tolonifera aurea. 3 to 6 in.   60   4 50     7 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     8 tolonifera aurea. 3 to 6 in.   60   4 50     9 tolonifera aurea. 3 to 6 in.   60   4 50     1 to 2 ft.   1 00   6 00   50 00     2 to 3 ft.   1 25   9 00     1 to 2 ft.   1 00   8 00     1 to 2 ft.   1 00   8 00     1 to 2 ft.   1 75   6 00     1 to 2 ft.   1 75     9 tolonifera aurea. 3 to 4 ft.   1 75     1 tolonifera aurea. 3 to 4 ft.   1 75     1 tolonifera aurea. 3 to 4 ft.   1 75     2 to 3 ft.   1 50   12 00     1 tolonifera aurea. 3 tolonifera aur	amonum 6 to 12 in S 60		10 00
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.00 2.10	4 00	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 to 3 ft		40 00
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	paniculata, 1 to 2 ft		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 to 3 ft 2 00		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	stolonifera. 2 to 3 ft		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Corvius americana. 1 to 2 ft. 60		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 to 4 ft	9 00	4
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	rostrata. 1 to 2 ft		50 00
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Crataegus coccinea, 6 to 12 in 75		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 to 2 ft	8 00	
2 to 3 ft	cordata. 2 to 3 ft 1 25	9 00	
2 to 3 ft	orns-galli 1 to 2 ft	7.00	
punetata. 6 to 12 in	2 to 3 ft	12 00	
1 to 2 It 1 25 9 00 60 00	punctata. 6 to 12 in 75		
	1 10 2 10 1 25	9 00	00 00

HARDY AMERICAN DECIDUOUS SHRUBS,	contin	ued
Per 10	100	1,000
Decodon verticillatus. Strong\$1 00 Diervilla diervilla. 6 to 12 in	\$7 00 6 00	
19 to 19 in 1 95	9 00	
rivularis. I to 2 ft., clumps 2 00		
sessilifolia. 1 to 2 ft	6 00	
3 to 4 ft., clumps	15 00	
Euonymus americanus. 1 to 2 ft 1 00	8 00	+400 00
2 to 4 ft 1 75  Fothergilla alnifolia. 6 to 12 in. 2 00  Gaylussacia resinosa. 6 to 12 in. 75	15 00	\$130 00
Gaylussacia resinosa. 6 to 12 in	5 00	
12 to 18 in. 2 00 <b>Hamamelis</b> virginica. 1 to 2 feet. 1 00 2 to 3 ft. 1 50	6 00	
2 to 3 ft	12 00	
	20 00	
Hydrangea arborescens. 1 to 2 ft	35 00 5 00	
2 to 3 ft 1 50	12 00	
3 to 4 ft., clumps	5 00	
radiata. 6 to 12 in	12 00	
2 to 3 ft		
Ilex decidua. 6 to 12 in., S	5 00	10.00
1 to 2 ft	7 00	40 00 60 00
2 to 3 ft 1 75	15 00	
Itea virginica. 12 to 18 in	7 00	
Leucothoe recurva. 1 to 2 ft., clumps	12 00	
Ligustrum ibota. 6 to 12 in 40	2 00	
1 to 2 ft	3 00	15 00
regelianum. 6 to 12 in	4 00	15 00 30 00
Menziesia pilosa.         1 to 2 ft.         1 50           Myrica cerifera.         6 to 12 in.         75	10 00	
Myrica cerifera. 6 to 12 in	5 00	40 00
12 to 18 in	12 00	
gale. 2 to 2½ ft. 1 50  Pieris mariana. 6 to 12 in. 1 00  1 1 to 2 ft. 1 75	8 00	
Pieris mariana.       6 to 12 in.       1 00         1 to 2 ft.       1 75         Potentilla fruticosa.       2 to 3 ft., clumps.       2 00	12 00	
Prunus maritima. 6 to 12 in	5 00	
1 40 9 66	8 00	
pumma. 1 to 2 lt	35 00	
2 to 3 ft	15 00 8 00	
12 to 18 in	12 00	
Rhodotypus kerroides. 6 to 12 in	5 00	
12 to 18 in	9 00 5 00	40 00
copallina. 1 to 2 ft	5 00	
2 to 3 ft	9 00 12 00	
copallina. 1 to 2 ft.     75       2 to 3 ft.     1 00       3 to 4 ft.     1 50       glabra. 1 to 2 ft.     1 00	6 00	
2 to 3 ft 1 50	9 00	
3 to 4 ft	15 00 5 00	
2 to 3 ft 1 00	7 00	
3 to 4 ft 2 00	70.00	
Ribes eynosbati.       1 to 2 ft	10 00 12 <b>0</b> 0	
Robinia hispida, 1 to 3 ft	5 00	
3 to 4 ft 1 00	8 00	
kelseyi. 6 to 12 in	20 00	
rosea. 1 to 2 ft 1 00	200	
viscosa. 2 to 4 ft	8 00	
4 to 6 ft	5 00	
1 to 2 ft 1 00	6 00	
2 to 3 ft. 1 50 earolina, 1 to 2 ft. 60	12 00 3 00	20 00
2 to 3 ft	5 00	=0 00
hamilia lucida 6 to 12 in	4 00	30 00
12 to 18 in 1 00	6 00	
multiflora. 1 to 2 ft	9 00	
nitida. 1 to 2 ft	9 00	
2 to 3 ft., clumps	4 00	
1 to 2 ft	7 00	



HARDY AMERICAN DECIDUOUS SHRUBS,	contin	ued
Rosa rugosa. 1 to 2 ft	100	1,000
rugosa alba. 2 to 3 ft., clumps	\$10 00	
	7 00	
3 to 4 ft., strong	10 00	
woodsii.     12 to 18 in     3 00       Rubus odoratus.     6 to 12 in     50	2 00	\$18 00
1 to 2 ft	3 00	25 00 20 00
pubens. 6 to 12 in., S	5 00	20 00
1 to 2 ft.   50	7 00	
Spiraea         salleifolia         3 to 4 ft         60           4 to 6 ft         clumps         1 00           thunbergii         1 to 2 ft         75           tomentosa         1 to 2 ft         75	4 00	
4 to 6 ft., clumps	7 00 6 00	40 00
tomentosa. 1 to 2 ft	5 00	
Stuartia pentagyna. 6 to 12 in	5 00	40 00
2 to 3 tt 3 50	15 00 30 00	130 00
Symphoricarpus racemosus. 1 to 2 ft.   5 00	5 00 7 00	
2 tô 3 ft., clumps	12 00	
symphoricarpus. 1 to 2 ft	5 00 8 00	
12 to 18 in	15 00	
hirsutum. 6 to 12 in	15 00 7 00	
12 to 24 in	10 00	
hirsutum. 6 to 12 in. 2 00 pallidum. 6 to 12 in. 1 00 pallidum. 6 to 12 in. 1 00 12 to 24 in. 1 50 stamineum. 6 to 12 in. 1 00	7 00	
Viburnum acerifolium 1 to 2 ft. strong 1 00	7 00	60 00
2 to 3 ft., clumps 1 75	15 00	130 00
3 to 4 ft., clumps	20 00 8 00	70 00
1 to 2 ft	15 00	
1 to 2 ft.	5 00	40 00
1 to 2 ft 1 50	12 00	80 00
2 to 3 ft., elumps	20 00	
dentatum. 2 to 3 ft 2 00	17 50	
4 to 5 ft alumne 10 00	25 00	
nudum. 1 to 2 ft 1 50		
2 to 3 ft	17 50 8 00	
1 to 2 ft 2 00	15 00	
2 to 3 ft		
oxycoccus. 6 to 12 in	5 00	
12 to 18 in	12 00 3 00	20 00
6 to 12 in., clumps 1 00	6 00	45 00
6 to 12 in., clumps. 1 00 12 to 18 in., clumps. 1 50 <b>Xolisma</b> ligustrina. 1 to 2 ft. 1 00	10 00 6 00	
1 to 2 ft., elumps	12 00	
HARDY AMERICAN EVERGREEN	SHR	UBS
Per 10	100	1,000
Andromeda polifolia. 6 to 12 in., clumps	\$5 00	\$40 00
Chamaedaphne calyculata. 6 to 12 in., clumps 75	5 00	
Andromeda pontona   6 to 12 in., clumps   \$0 75     12 to 18 in., clumps   2 00     Chamaedaphne calyculata, 6 to 12 in., clumps   75     12 to 18 in.   1 00     Dendrium buxifolium   6 to 12 in.   75     12 to 18 in., clumps   1 00     prostratum   3 to 6 in.   1 00     6 to 9 in., clumps   1 50	7 00 5 00	
12 to 18 in., clumps 1 00		
prostratum. 3 to 6 in	6 00 9 00	50 00
Hypericum aureum. 1 to 2 ft., S	5 00	40 00
1 to 2 ft	8 00 12 00	
3 to 4 ft		
2 to 3 ft. 150 2 to 3 ft. 150 3 to 4 ft. 2 50 buckleyi. 6 to 12 in., clumps 17 ft. densiflorum, 6 to 12 in., S. 30	15 00	8 00
	2 00	15 00
2 to 3 ft	6 00 9 00	40 00 60 00
prolificum. 1 to 2 ft 75	5 00	-5 05
2 to 3 ft 1 50	12 00	

HARDY AMERICAN EVERGREEN SHRUBS.	. contin	ued
Per 10	100 \$12 00	1,000
12 to 18 in 2 00  Juniperus communis aurea. 12 to 18 in 1 50 sabina. 6 to 12 in 3 00		
sabina. 6 to 12 in		
Kalmia angustifolia, 6 to 12 in	4 00	
\$30 in a. 6 to 12 in	8 00	
12 to 18 in	12 00 5 00	\$40 00
12 to 18 in., medium	7 00 12 00	60 00
Pieris floribunda. 6 to 12 in		
japonica. 18 to 24 in	10 44	
Ledum groenlandieum.     6 to 12 in.     1 00       12 to 18 in.     1 50       Leucothoe catesbæi.     6 to 12 in.     75       12 to 18 in., medium.     1 60       12 to 18 in., clumps.     1 50       Pieris floribunda.     6 to 12 in.     7 50       12 to 18 in.     14 00       japonica.     18 to 24 in.     15 00       Taxus minor.     6 to 12 in.     1 50       12 to 18 in.     2 50	12 00	
HARDY NATIVE VINES AND CLI	IMRE	DC
Per 10	100	1,000
Aristolochia sipho. 6 to 12 in\$1 00	\$7 00	2,000
Bignonia crucigera. 6 to 12 in	3 00	
Celastrus scandens. 1 to 2 ft 75	5 00	\$40 00
2 tô 4 ft	7 00 12 0J	60 00
erispa	2 00	12 00
oftong components to	4 00	25 00
Dioscorea villosa.         50           Euonymus radicans.         12 to 18 in	4 00 15 00	
Humulus lupulus	5 00	
Ipomoea pandurata.         75           Lonicera dioiea.         2 to 4 ft.         1 50	5 00 10 00	
Lonicera diolea. 2 to 4 ft. 1 50 flava. Strong 1 00 japonica, var. halliana. Strong elumps. 50	7 00 4 00	30.00
sempervirens I to 2 ff		50 00
Menispermum canadense.     50       Parthenocissus engelmanni.     Uol. plants.     40       First size.     1 00	4 00	12 00
First size	7 00 5 00	50 00 35 00
quinquefolia. Strong 1 00	6 (9)	90) (10)
vitacea. 6 to 12 in	10 (0)	
Polygonum cilinode 50	3 50	20 00
radiance 6 to 12 in 10	3 00	
Vitis æstivalis. 6 to 12 in	9 00 15 00	
cordifolia. 1 to 2 ft	12 00	
indivisa. 1 to 2 ft	12 00	
	3 00	20 00
monticola, b to 12 m		
vulpina, 6 to 12 in 1 50		
Wistaria frutescens. Strong 1 00		
HARDY NATIVE GROUND - COVERING P		5
Galax aphylla.         Tr. clumps	100 \$6 00	1,000 \$40 00
Col. clumps         75           Epigaea repens. Tr. clumps         2 00	3 00 15 00	20 00
Col. clumps. 1 00 Gaultheria procumtens. Tr. clumps. 1 00	7 00	
Col. clumps	3 00	18 00
Glechoma hederacea	1 50 3 00	18 00
Lyconodium clayatum. Col 40	2 00	15 00
complanatum, Col.         40           lucidulum, Col.         40           obscurum, Col.         40	2 00	15 00 15 00
obscurum. Col	2 00	15 00 30 00
O O	. 00	00 00

HARDY NATIVE GROUND-COVERING PLANTS, co	ntinued
Phlox reptans, Col	1,000
subulata, Clumps	
subulata alba.         1 00         8 00           Rubus canadensis.         1 to 2 ft.         50         4 00	
laciniatus, 1 to 3 ft	
hispidus	
serpyllifolia Col.   50 3 00   Vinca minor. Clumps   75 5 00   Strong plants   50 4 00	\$40 00 20 00
minor alba 100 6 00	20 00
HADRY A MEDICAN MATINE CERNS	
HARDY AMERICAN NATIVE FERNS Per 10 100	1 000
Adiantum pedatum. Clumps \$1.00 \$6.00	1,000 \$45 00
Asplenium augustifolium. 1 00 8 00 platyneuron 1 00	
platyneuron	
novaboracensis. Strong	
trichomanes	
lunaria 1 00	
virginieum         60         4 00           Camptosorus rhizophyllus         75         5 00	
Cystopteris fragilis.         1 50 10 00           Dicksonia punctilobula.         Clumps.         50 2 00	15 00
Dryopteris acrostlehoides	30 00
marginalis 75 5.00	35 00
novaboracensis	35.00
spinulosa intermedia 1 00 6 00	(II) (/O
thelypteris	
Onoclea sensibilis         75         5 00           Osmunda cinnamomea         1 00         6 00	40 00
claytoniana 1 00 6 00	40 00
regalis. 1 00 6 00 <b>Pellaea</b> atropurpurea. 1 50 <b>Phegopteris</b> hexagonoptera 1 00 5 00	40 00
Folypodium vulgare. Col. clumps 50 3 00	15.00
Pterfs aquilina         50         3 00           Woodwardia virginica         1 00         8 00	15 00
TO CONTROL VIEGING	
INSECTIVOROUS, AQUATIC AND BOG PLANT	S
10 100	1,000
Acorus calamus	\$12 00
Aster punicens. Col. 50 3 00 Castalia odorata 1 00 5 00 Chelone glabra 1 00 5 00 lyoni 1 0 5 00	
lyoni 1 00 5 00	
lyoni	
Coptis trifoliata.         75         5 00           Dionaea muscipula         1 00         5 00	40.00
Drosera rotundifolia 50 3 00	40 00
Helonias bullata, Clumps         75         5 00           Iris pseudacorus         1 50	40 00
versicolor. Clumps	
Nuphar advena         1 50           Nymphaea sagittæfolia         4 00	
Orontium aquaticum 1 00 6 00	
Oxycoccus         macrocarpus         Clumps         50         4 00           Col.         20         1 00	25 00 6 00
Sagittaria latifolia	7 00
Sarracenia catesbei         2 00         12 00           drummondii         2 00         12 00	
flava	
psittacina	
purpurea	
Sparganium ramosum.         75         3 00           Typha latifolia.         1 00         7 00	20 00
- J Process - 1 (0) ( 10)	

HARDY CYPRIPEDIUMS AND OTHER ORCHI	DS
Per 10 100	
Cypripedium acaule, Light\$0 50 \$3 0	0 \$20 00
Strong	
candidum 3 00	
hirentum Light 50 3.0	
Strong 75 5 0	0 40 00
narviflorum 2 00	
reginæ, 1 to 2 crowns 2 00 15 0	0
3 to 5 erowns 3 00 28 0	
reginse. 1 to 2 crowns	0
per crown.	
Habenaria ciliaris 75 5 0	
hookeriana 75 6 0	
peramœna	
Orchis spectabilis	
Peramium pubescens	
repens 1 50 10 0	10
HARDY NATIVE LILIES AND BULBOUS PLAN	NTS
Per 10 100	
Allium cernuum\$1 00 \$7 0	0
tricoccum.         75           Arisaema triphyllum.         50         3 0           Bicuculla canadensis.         50         3 0	0
Bicuculla canadensis	
cucullaria	0 35 00
eximia. Strong tr. S 75 5 0	
Change mysestovianm 50 20	
Convallaria majalis	
Erythronium americanum. Col	
Lilium canadense 75 5 0	
carolinianum. First size	
Second size	0 40 00
gravi. First size	
Second size 1 00 7 0	
Small, tr	0 18 00
pardalinum	0 40 00
Second size	0 25 00
Third size. 25 1 5  Oxalis acetosella. Col. 25 1 5	
Oxalis acetosella. Col	
Trillium erectum.         30         2 0           erectum album.         60         4 0	
erectum album         60         4           grandiflorum         Small         20         1           40         20         1         0	
	0 15 00
petiolatum	10
sessile Californicum	10
stylosum. Light	0 20 00
Strong	
undulatum 50 2 5	50 18 00
Control of the Contro	
HARDY NATIVE HERBACEOUS PEREN	NIALS
Per 10 100	
Aconitum reclinatum	00
uncinatum	
rubra	
Adopogon montana 1 00 7 0	
Adopogott mon and	
Amsonia amsonia. Strong S 50 3 (	00 20 00
Amsonia amsonia. Strong S	00 20 00
Strong clumps	00 20 00 00 15 00
Angelica curtisii       50       3 (         Apocynum androsemifolium       75       5 (	00 20 00 00 15 00
Angelica curtisii         50         3 (           Angevnum androsæmifolium         75         5 (	00 20 00 00 15 00
Strong clumps	20 00 00 15 00 00 00 00 00
Strong clumps         1 00         6           Angelica curtisii         50         3           Apocynum androsæmifolium         75         5           Aquilegia canadensis. Clumps         1 00         7           Aralia nudicaulis         50         3           racemosa         75         4           Archangelica hirsuta         60         4	20 00 00 15 00 00 00 00 00
Strong clumps	20 00 00 00 15 00 00 00 00 00
Strong clumps	20 00 00 15 00 00 00 00 00 00 00 00 60 00
Strong clumps	20 00 00 15 00 00 00 00 00 00 00 00 60 00

HARRY MARINE HERRAGEOME BERENMAN	S	ana4
HARDY NATIVE HERBACEOUS PERENNIAL Per 10	S, conti	
A 1 1	\$12 00	1,000
tuberosa	7 00	
Aster cordifolius 50	3 00	
Astilba decandra	6 00	
Baptisia australis. Strong 1 50	12 00	
nova-lingue	3 00 5 00	
Carex fraseri	5 00	
Caulonhyllum thalictroides	4 00	
Carex fraseri         100           Cassia marylandica Strong         75           Caulophyllum thalictroides         60           Collinsonia canadensis         50           Chamaelirium luteum         40	3 00	
Chamaelirium luteum 40	2 00	\$15 00
CHIRCHIESE AMERICANA	3 00	20 00
Clintonia hoveslie 50	3 00	20 00
umbellulata	3 00 4 50	
Coreopsis lanceolata. Clumps	4 50 5 00	
rosea 1 00	7 00	
verticillata	6 00	
Cornus canadensis	6 00 5 00	
Diphylleia cymosa 1 00	7 00	
Disporum lanuginosum	7 00 3 00	15 00
perfoliatum	3 00	15 00
purpureum	3 00	
Euphorbia corollata	2 00	12 00
Geranium maculatum 50	3 00	
Geum radiatum	4 00	
Grindelia squarrosa.         60           Helenium autumnale Col. clumps         50           Helianithus strumosus         75           Hepatica acuta         40	3 00	25 00
Helianthus strumosus 75	3 00	20 00
Hepatica acuta 40 hepatica 75	3 00 5 00	20 00
hepatica	5 00	40 00
pubescens	5 00	
sanguinea		
villosa	4 50	
Hibiscus, Crimson Eye	5 00 4 00	
Rose-pink. Strong	7 00	
Houstonia purpurea. Col. clumps 50	3 00	
Twis evictors Champs 75	3 00	
Strong 50	3 00	20 00
Strong   50	4 00 2 00	70.00
Strong Col, 50	6 00	10 00
Lacinaria pyenostachya 1 00	6 00	
	6 00	
montana	6 00	
Tentandra vivainia	6 00	
Lewisia rediviva	20 00 15 00	
Lobelia cardinalis. Strong 50	4 00	
syphilitica         75           Melanthium virginicum         1 00	5 00 7 00	
Melanthium virginieum	8 00	
Mertensia virginica   1 00   Mimulus ringens   Col. clumps   50   Monarda didyma   Clumps   1 00   Monarda clinopodia   1 00   fistulosa   1 00	2 00	
Monarda didyma. Clumps	6 00	
fistulosa 1 00	6 00	
Monarga elinopoda		
Parnassia asarifolia		
Phlox maculata	5 00	
Physostegia virginiana	6 00 7 00	
Podophyllum peltatum 50	2 00	18 00
polygonatum biflorum 60	3 00	
Porteranthus stimulatus Strong 1 00	5 00	
Potentilla tridentata. Clumps 1 00	5 00	
Potentilla tridentata Clumps	7 00	
ternatum	3 00	
102 Marie Ma		

HARDY NATIVE HERBACEOUS PERENNIAL	S, cont	inued
Per 10	100	1.000
Shortia galacifolia. First size\$3 00	\$25 00	4,000
Second size	10 00	
Silene stellata	4 00	
virginica 1 00	8 00	
Solidago canadensis	5 00	
odora	5 60	
In var	2.00	\$10 00
virgaurea	5 00	
Spigelia marylandica	10 00	
Stachys aspera 60	4 00	
Steironema quadriflorum 75	5 00	
ciliatum 75	5 00	
Stenanthium robustum, Med 1 75	12 00	
Heavy 2 50	20 00	
Stokesia cyanea 1 00	8 00	
Thalictrum dioicum 60	3 00	
Thermopsis caroliniana Strong 1 00	8 00	
Therofon aconitifolium. Clumps 75	5 00	
Tradescantia pilosa 75	5 00	
virginiana 75	5.00	
Trautvetteria carolinensis 50	4 00	
Triosteum perfoliatum		
Unifolium canadense	4 00	
Uvularia perfoliata 50	3 00	
sessilifolia 1 00		
Vagneria racemosa. Strong 75	4 00	
Veratrum viride. Strong 75	4 00	
Vernonia novaboracensis. Col. clumps 75	4 00	
Viola blanda 75		
canadensis 75	4 00	
cucullata	3 60	
hastata 50	3 00	
lanceolata 75		
palmata	4 00	
pedata 75	5 00	
pedata bicolor 2 00	15 00 3 00	
rotundifolia	5 00	
Lucia mamentosa	5 00	40 00
nacciua, meavy ciumps	5 00	40.00
	0 00	
Clumps         4 00           Xerophyllum asphodeloides         Strong         1 00	7 00	
Zigadenus leimanthoides	12 00	
Ligauenus felinantholdes		
HARDY AMERICAN CACT!		
		Per 10
Opuntia camanchia		\$2 00
fragilis		1 50
refinesanii		2 00
mesacantha macrorhiza		
mesacantha cymochilla		200



BEAUTIFULLY Illustrated Catalogue of Kelsey's Hardy American Plants is gladly sent to all in the trade. It will make you acquainted with the best and hardiest class of ornamentals for American Parks and Gardens



### HARLAN P. KELSEY

6 Beacon Street BOSTON, MASS.